

In the Claims:

For the Examiner's convenience, all pending claims are presented below with changes shown in accordance with the new mandatory format.

1. (Currently Amended) An apparatus comprising:
a card rack;
two ~~one~~ or more server node cards ~~processors~~, ~~the one or more processors configured~~
each server node can ~~to~~ perform server functions with integrated ~~and~~ switch and
router functions including load balancing and fail-over; and
a plurality of ports coupled with the two ~~one~~ or more server node cards ~~processors~~.
2. (Currently Amended) The apparatus of claim 1, wherein a ~~said~~ server node card
comprises a single printed circuit board.
3. (Original) The apparatus of claim 1, where the plurality of ports comprises four
ports.
4. (Original) The apparatus of claim 2, wherein the printed circuit board is rack
mountable and the plurality of ports are accessible as connection points on the card rack.
5. (Original) A server block comprising:
a plurality of server nodes, each server node comprising a server with integrated
switching, routing, load balancing and fail-over functions and a plurality of ports,

at least one port of the plurality of ports configured for connection to an external network; and

a plurality of signal paths connected with the plurality of ports of the server nodes of the plurality of server nodes, at least two of the plurality of ports of each server node of the plurality of server nodes connected with another server node of the plurality of server nodes in the server block.

6. (Currently Amended) The server block apparatus of claim 5, wherein each said server node of the plurality of server nodes comprises one printed circuit board.
7. (Currently Amended) The server block apparatus of claim 6, wherein the printed circuit board is rack mountable and the plurality of ports of each server node of the plurality of server nodes are accessible as connection points on the card rack and the server block is constructed in one card rack by interconnecting the connection points on the card rack.
8. (Currently Amended) The server block apparatus of claim 7, wherein the external connections of the server block are provided through an interface card in the card rack, the interface card being connected to the plurality of server nodes through connection points on the card rack.
9. (Currently Amended) A computer network comprising:
a plurality of server blocks wherein each server block comprises;

a plurality of server nodes, each server node comprising a server with integrated switching, routing, load balancing and fail-over functions and a plurality of ports, and

a plurality of signal paths connected with the plurality of ports of each server node of the plurality of server nodes, at least one signal path connected with each server node of the plurality of server nodes providing an external connection to a server block, and at least two signal paths of the plurality of signal paths connected with each server node of the plurality of server nodes being connected with other server nodes of the plurality of server nodes in the block; and

a plurality of signal paths connected with the server blocks, at least one signal path connected with each server block of the plurality of server blocks providing an external connection to the network, and at least two signal paths of the plurality of signal paths connected with each server block of the plurality of server blocks being connected with other server blocks of the plurality of server blocks.

10. (Currently Amended) The computer network apparatus of claim 9, wherein each server node of the plurality of server nodes comprises one printed circuit board.
11. (Currently Amended) The computer network apparatus of claim 10, wherein the printed circuit board is rack mountable and the plurality of ports of each server node of the plurality of server nodes are accessible as connection points on the card rack and a server

block is constructed in one card rack by interconnecting the connection points on the card rack.

12. (Currently Amended) The computer network apparatus of claim 11, wherein the external connections of the plurality of server blocks are provided through an interface card in the card rack, the interface card being connected to the plurality server nodes through connection points on the card rack.

13-20. (Cancelled)